			CEPTED GISTRATIO	Page 1
SUPPLEMENTAL LA	BELING	JUN	E 19 2015	
Syngenta Crop Protection, LLC P. O. Box 18300 Greensboro, North Carolina 27419-8300 SCP 1169A-S8 0315 Touchdown Total®	Di	of Environm avision of M Pesticide Pr	State Departmen nental Conservat laterials Manager roduct Registratio Doc ID: 5425 HERBICIE	ion ment on 509
Herbicide				
This supplemental label expires on 03/31/2018 a distributed after this date.	and must	not be ι	used or	
Active Ingredient				

ne
44.9%
55.1%
100.0%

Touchdown Total is formulated as a soluble liquid.

*Touchdown Total contains 4.17 pounds per U.S. gallon of glyphosate acid equivalent.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

EPA Reg. No. 100-1169

All applicable directions, restrictions and precautions on the EPA registered label are to be followed. Before using Touchdown Total as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and/or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Touchdown Total

Page 1

DIRECTIONS FOR USE

CORN, GLYPHOSATE-TOLERANT

For use on the following glyphosate-tolerant corn only: all Agrisure® GT corn (including Agrisure Viptera[™] 3110 and Agrisure Viptera[™] 3111); Attribute® II Sweet Corn, all Roundup Ready® corn, including Roundup Ready Corn, Roundup Ready 2 Corn, Roundup Ready 2 Sweet Corn, all Genuity[™] brand corn which contains Roundup Ready 2, and YieldGard® corn which contains Roundup Ready 2 (including YieldGard VT Triple[™]); and all Herculex® corn which contains Roundup Ready 2.

Method of Application: Before, during, or after planting; and postemergence in corn varieties which have been genetically modified to be tolerant to glyphosate-based herbicides.

Follow directions listed in the **APPLICATION DIRECTIONS**, **SPRAY ADDITIVES**, and **APPLICATION EQUIPMENT AND TECHNIQUES** sections. Refer to **WEEDS CONTROLLED** section for application rates and timing.

Use Restrictions for Glyphosate-Tolerant Field Corn

- Maximum amount of Touchdown Total which may be applied from all applications is 5.75 qt/A.
- Maximum preplant/preemergence rate is 3.6 qt/A.
- Maximum amount of Touchdown Total applied over the top of the crop from all applications is 70 fl oz/A.
- Make postemergence applications from emergence through the V8 stage or until corn reaches 30 inches, whichever comes first with no more than 35 fl oz/A for any single application. Applications of Touchdown Total at a maximum rate of 35 fl oz/A may be made to corn from 30 to 48 inches in height using ground equipment and drop nozzles only.
- Allow a minimum of 10 days between postemergence applications.
- Allow a minimum of 50 days between application and harvest of field corn forage or grain.
- A preharvest application at up to 24 fl oz/A may be made if the combined total of previously applied postemergence applications does not exceed 40 fl oz/A. Allow a minimum of 7 days between application and harvest or feeding of field corn stover or grain.

Use Precautions for Glyphosate-Tolerant Field Corn

- Avoid application of spray into whorls of corn plants.
- Applications of Touchdown Total to corn hybrids which are not glyphosate-tolerant will result in severe crop injury and reduced yields.

Use Restrictions for Glyphosate-Tolerant Sweet Corn

- Maximum amount of Touchdown Total which may be applied from all applications is 5.75 qt/A.
- Maximum preplant/preemergence rate is 3.6 qt/A.
- Maximum amount of Touchdown Total applied over the top of the crop from all applications from emergence through 48-inch corn is 4.47 qt/A.
- Make postemergence applications from emergence through the V8 stage or until sweet corn reaches 30 inches, whichever comes first, with no more than 48 fl oz/A for any single application. Applications of Touchdown Total at a maximum rate of 48 fl oz/A may be made to sweet corn from 30 to 48 inches in height before the crop has reached the reproductive stage, using ground equipment and drop nozzles only.
- Allow a minimum of 10 days between in-crop applications of Touchdown Total. Allow a minimum of 30 days between application and harvest of sweet corn forage or grain.

Use Precautions for Glyphosate-Tolerant Sweet Corn

• Avoid application of spray into whorls of sweet corn plants.

Tank Mixtures (Preplant, At Planting, Preemergence)

Touchdown Total can be tank mixed with the following products:

Aim® EC Atrazine Bicep Lite II Magnum® Bicep II Magnum® Bullet® Degree® Degree Xtra® Dual II Magnum® Fultime® Guardsman® MAX Harness® Harness® Xtra Harness® Xtra 5.6L Keystone® Keystone® LA Lariat® Outlook TopNotch®

Refer to individual product labels for precautionary statements, restrictions, rates, and a list of weeds controlled.

Tank Mixtures (Postemergence)

Touchdown Total can be tank mixed with the following products:

Aim EC Impact Option Atrazine (maximum height of sweet corn at application is 12 inches)

Refer to individual product labels for precautionary statements, restrictions, rates, and a list of weeds controlled.

Agrisure®, Attribute®, Bicep II Magnum®, Bicep Lite II Magnum®, Dual II Magnum®, Touchdown Total® and the SYNGENTA Logo are Trademarks of a Syngenta Group Company

Aim® trademark of FMC Corporation

Guardsman® trademark of BASF Ag Products

Bullet®, Degree®, Degree Xtra®, Genuity™, Harness®, Lariat®, Roundup Ready®, YieldGard®, and YieldGard VT Triple™ trademarks of Monsanto Company

Fultime®, Herculex®, and Topnotch® trademarks of Dow AgroSciences LLC

©2015 Syngenta